

cl
1. (Amended) A method for making and administering a topical cosmetic skin toner composition that may be spread on skin to hydrate and balance pH levels in said skin, said method comprising the steps of:

obtaining a quantity of *Morinda Citrifolia* fruit juice, wherein said fruit juice includes Proxeronine;

combining said fruit juice with a cosmetically suitable carrier agent to create said topical cosmetic skin toner composition; and

Sub D1
applying said topical cosmetic skin toner composition to said skin, wherein the application of said topical cosmetic skin toner composition activates a release of Xeronine from said Proxeronine, said Xeronine being capable of enhancing and improving cellular vitality in said skin.

2. (Amended) The method of claim 1, wherein said release of Xeronine occurs from the interaction of said Proxeronine and at least one of:

- (i) a quantity of Proxeronase present in said fruit juice; and
- (ii) a quantity of Proxeronase present in said skin.

c 2
Sub D1 Cont
24. (Amended) The method of claim 1, further comprising the step for combining one or more additional ingredients into said topical cosmetic skin toner composition, wherein said one or more additional ingredients are selected from the group consisting of SD alcohol 40-B, witch hazel distillate, menthol, aloe barbadensis extract, glycerin, diglycerin, eucalyptus globulus oil, fragrance, butylene glycol, PG, Ext. D&C Violet 2, and D&C Green 5.

25. (Amended) A method for hydrating skin, said method comprising the steps of:
obtaining a quantity of *Morinda citrifolia* fruit juice;
combining said fruit juice with a cosmetically suitable carrier agent to create a topical
cosmetic skin toner composition, wherein said fruit juice is present in an amount
between about 10-80 percent by weight; and
applying said cosmetic skin toner composition to said skin to hydrate the skin.

26. (Amended) A method for balancing pH levels in skin, said method comprising the steps of:
obtaining a quantity of *Morinda citrifolia* fruit juice;
combining said fruit juice with a cosmetically suitable carrier to create a topical cosmetic
skin toner composition, wherein said fruit juice is present in an amount between
about 10-80 percent by weight; and
applying said cosmetic skin toner composition to said skin to balance pH levels in the skin.

27. (Amended) A method for balancing pH levels in skin, said method comprising the steps of:
obtaining a quantity of *Morinda citrifolia* fruit juice;
combining said fruit juice with a balancing agent;
combining said fruit juice and said balancing agent with a cosmetically suitable carrier to
create a topical cosmetic skin toner composition; and
applying said composition to said skin to balance pH levels in the skin.

28. (Amended) A method for hydrating skin, the method comprising the steps of:

obtaining a quantity of unprocessed *Morinda citrifolia* fruit juice;

combining said fruit juice with a hydrating agent;

combining said fruit juice and said hydrating agent with a carrier agent to create a topical

cosmetic hydrating skin toner composition; and

applying said composition to said skin to hydrate the skin.

C2

cont

Sub
D1
cont